



Unisto Padlock 4



A Padlock Type of Security Seal The high security Padlock 4 provides additional tamper resistance over Padlock 3, with the same ease of sealing - designed to be able to be sealed with a single hand. Hasp diameter 3.8 mm. Variety of colours for logistical control available. Bar-code option for efficient data capture.

Features of this security seal

Type of Seal


Padlock Type Seals

Application

Trolleys

- › Seal re-opens if not properly locked
- › Locking section with different diameters in conjunction with transparent locking insert increases tamper-resistance
- › Free movement in locking mechanism prevents glueing, allows integrity of the seal to be checked easily
- › Hasp Design allows single-handed application
- › Various colours for logistical functions
- › Customer name/logo for clear identification
- › Bar-coding for fast, accurate and reliable data capture and streamlining operations
- › Mats of 10 seals allows sequential distribution

Minimum size



Materials

Housing: polypropylene (PP)

Locking mechanism: polycarbonate (PC)

Tensile strength

Approx. 5 kg

Numbering

6 digits

Barcoding

Interleaved 2/5 or barcode 128

Customer name/logo

Foil printed

Colours

Dark blue, dark green, red, grey

Other colours available on request

Packing

Mats of 5 or 10 seals, box of 1000 seals

44.0 x 12.0 x 24.0 cm (0.012 m³), approx. 2.1 kg

Storage

Seals should be stored in original box away from direct sunlight and chemical fumes.

Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture.

Nevertheless please do not order more than an annual quantity.
