


Unisto Axis Mini









Special designed one piece moulded Pull-Tight Security Seal used for securely sealing of bags in the Post, Courier Service and Banks/Cash in Transit sectors. Unique design of locking mechanism firmly secure seal in position to eliminate pseudo sealing. Groove on ribbon prevents reverse insertion ensure no foul-play. Strong strap construction of withstands rough handling in the logistical process. Optional bar-coding for efficient data capture. Available in a range of colours.



Features of this security seal

Type of Seal


Adjustable Seals

Application

Bags

- Unique designed locking mechanism firmly secure seal in position to eliminate pullback and pseudo sealing
 Groove on ribbon to prevent reverse sealing
 Spike and spikeless for wider application range
 Tear-off facility for extra convenience to remove seal





Material

Body: Polypropylene

Tensile strength (loop)

Approx. 196N (20kg) for NTO, Approx. 177N (18 kg) for STO

Numbering

up to max. 7 digits

Barcoding

barcode 128, interleaved 2/5, others on request

Logo

laser marked

Plastic colour (foil)

Red, Blue, Yellow, White & Green

Plastic colour (laser)

Pink, Light Blue, Light Yellow, Light Green & White

Packing

Mats of 10 pcs, box of 1'000 seals, carton of 5'000 seals

Packing size

I deltilli							
150mm	405	Χ	210	Χ	200	mm	9
220mm	405	Χ	210	Χ	200	mm	3.3kg
300mm	400	X	400	Χ	175	mm	3.6ka

carton

150mm 220mm	1100	Χ	415	Χ	210	mm
220mm	1100	Χ	415	Χ	210	mm

Storage

Seals should be stored in original box away from direct sunlight and chemical fumes. Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture. Nevertheless please do not order more than an annual quantity.



How to close





How to open

