

Unisto Nexus









A Fix Length Security Seal with a unique designed locking jaw to seal Tote boxes, Truck doors, Trailers and Containers. Used in industries such as Logistics, Railway, Retail and Transport. Easy to control due to its special breaking point which is clearly visible outside of the housing. Easy to close and break. Closed chamber to encapsulate locking tip upon removal to restrict reuse and tampering of seal.

7-digit consecutive numbering for easy recording of the unique seal numbers. Variety of plastic colours for logistical control.



Features of this security seal

Type of Seal


Fixlength Seals

Application

Tote boxes, Truck doors, Trailers and Containers

- Unique designed locking mechanism which hold break-off tip in sealed chamber once removed to ensure no post tampering
-) Spring inserts moulded from engineering plastic and capable to withstand high temperature
-) Secured by unique hot-welding that leaves marks of attempted tampering
- Easy break-off facility makes seal removal an effortless task without the need of cutting tools. (only available on 210 mm length configuration)





Material

Polypropylene

Tensile strength (loop)

110 mm: approx. 310N (32kg) 210 mm: approx. 190N (20kg)

Numbering

up to max. 7 digits

Barcoding

barcode 128, interleaved 2/5, others on request

Logo

laser marked

Plastic colour (laser)

Pink, Light Blue, Light Yellow, Light Green & White

Packing Size

Box 110mm: 353 x 190 x 270mm, 2.3kg **Box 210mm:** 405 x 189 x 255mm **Carton 110mm:** 970 x 368 x 297mm, 12kg **Carton 210mm:** 985 x 415 x 278 mm

Storage

Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture. Nevertheless please do not order more than an annual quantity.